



## PRE-FORMED CUP SHAPE RESPIRATOR

The Alpha S has been specifically designed to ensure an excellent fit for the smaller face. The unique inner face seal helps maintain a close and snug fit around the chin area which is generally regarded by experienced fit testers to be the main weakness on standard design disposable respirators.

### KEY FEATURES

- Designed to solve an industry wide problem - high performance respiratory protection for the smaller face
- Unique full inner face seal
- Preformed nosebridge removes the need for regular adjustment
- Four point headstrap adjustment
- Conforms to EN 149: 2001 + A1: 2009 FFP3 NR



**FULL INNER FACE SEAL**  
Outstanding comfort and a snug fit around the chin

**PREFORMED NOSEBRIDGE**  
Does not require frequent adjustment

**LOW PROFILE EXHALATION VALVE**  
Helps to reduce heat and moisture build up



### ORDERING INFORMATION

**Part Number:** S-3V

**Packaging:** 5 singles per box  
20 boxes per case

**Certification:** EN149: 2001 + A1: 2009  
FFP3 NR

### SUITABLE APPLICATIONS

Recommended applications include:

- Textile Industry
- Craft Work
- Iron and Steel Industry
- Mining
- Underground Civil Engineering
- Woodworking
- Welding Work
- Cutting and Casting of Metals
- Hospital
- Laboratory & Disease Control
- Pharmaceutical Industry
- Gardening



### TECHNICAL SPECIFICATIONS

#### MATERIALS

COMPONENT	MATERIAL
<b>Outer Scrim:</b>	Polypropylene
<b>Filter Media:</b>	Melt Brown
<b>Inner Scrim:</b>	Polypropylene
<b>Scrim:</b>	Polyester
<b>Headstrap:</b>	PE Woven Elastic (Latex Free)
<b>Valve Cover:</b>	Polypropylene
<b>Valve Base:</b>	ABS
<b>Valve Diaphragm:</b>	Synthetic Rubber (Latex Free)
<b>Inner Face Seal:</b>	Closed Cell PVC Foam
<b>Headstrap Adjuster:</b>	Polypropylene

#### DIMENSIONS

ITEM	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)
<b>Respirator</b>	130	50	130
<b>Nosebridge</b>	35	40	30
<b>Headband</b>	350	9	0.4
<b>Headband clip</b>	29	12	4
<b>Valve</b>	40	11	40

### CERTIFICATION

EU Certification according to Regulation (EU) 2016/425 issued by: BSI Group, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes, MK5 8PP, United Kingdom. [N.B. No.0086].

### RECOMMENDATIONS FOR USE

This respirator is disposable and recommended for single shift use only.

Do not attempt to clean or re-use.



### TECHNICAL SPECIFICATIONS

#### MATERIALS

COMPONENT	MATERIAL
<b>Outer Scrim:</b>	Polypropylene
<b>Filter Media:</b>	Melt Brown
<b>Inner Scrim:</b>	Polypropylene
<b>Scrim:</b>	Polyester
<b>Headstrap:</b>	PE Woven Elastic (Latex Free)
<b>Valve Cover:</b>	Polypropylene
<b>Valve Base:</b>	ABS
<b>Valve Diaphragm:</b>	Synthetic Rubber (Latex Free)
<b>Inner Face Seal:</b>	Closed Cell PVC Foam
<b>Headstrap Adjuster:</b>	Polypropylene

#### DIMENSIONS

ITEM	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)
<b>Respirator</b>	130	50	130
<b>Nosebridge</b>	35	40	30
<b>Headband</b>	350	9	0.4
<b>Headband clip</b>	29	12	4
<b>Valve</b>	40	11	40

### CERTIFICATION

EU Certification according to Regulation (EU) 2016/425 issued by: BSI Group, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes, MK5 8PP, United Kingdom. [N.B. No.0086].

### RECOMMENDATIONS FOR USE

This respirator is disposable and recommended for single shift use only.

Do not attempt to clean or re-use.